

SUNSHADE

MODEL 30077

FOR JOHN DEERE

LT133, 150, 155, 160, 170, 180, 190

PARTS LIST – ASSEMBLY INSTRUCTIONS

!! IMPORTANT !!

READ THIS OPERATION MANUAL CAREFULLY AND KEEP FOR FUTURE
REFERENCE

!! WARNING !!

THIS SUNSHADE WILL NOT PROTECT OPERATOR FROM INJURIES CAUSED BY ROLL-
OVER, COLLISION OR OTHER ACCIDENTS

Original Tractor Cab Co., Inc.
6849 West Front Street
Arlington, IN 46104
P-765-663-2214 ,F-765-663-2101, www.originalcab.com

SUNSHADE #30077 PARTS LIST

PART #	QTY	KEY #	DESCRIPTION
30078	1	A	RECEIVER, RH
30079	1	B	RECEIVER, LH
30070	1	1	BOW, FRONT (Tapered end)
30071	1	2	BOW, FRONT
30065	1	3	BOW, TOP
30067	1	4	BOW, REAR
30282	2	5	POST
9349	1	6	BRACE, RH
9351	1	7	BRACE, LH
9295-Y	1		VINYL COVER
30080	1		HARDWARE PACKAGE (Contents listed below)
2186	2		CAPSCREW, 1/4"-20 x 1 1/4"
786	8		CAPSCREW, 1/4"-20x5/8" hex
730	10		LOCKNUT, 1/4"-20
1514	2		FLAT WASHER, 1/4"
784	2		CAPSCREW, 5/16"-18 x 3/4"
729	2		LOCKNUT, 5/16" - 18
783	2		CAPSCREW, 3/8"-16 x 3/4"
790	2		LOCKNUT, 3/8" - 16




Figure 1

INSTALLATION INSTRUCTIONS

SUNSHADE MODEL #30077

COMPLETELY READ INSTRUCTIONS BEFORE BEGINNING INSTALLATION

THE RIGHT SIDE OF THE MACHINE IS DETERMINED FROM THE SEATED POSITION OF THE OPERATOR

STEP 1; SEE FIGURE 1:

INSTALL: (Right & Left Sides)
RECEIVER [A & B]

NOTE: Rear wheel was removed for illustrative purposes only.

- A. At the rear of the tractor locate two holes on the sides of the tractors' frame.
- B. Bolt the receivers [A & B] to the tractor using a 5/16" x 3/4" cap screw & a 5/16" locknut in the upper hole of the receiver and a 3/8" x 3/4" cap screw and 3/8" lock nut in the lower hole.

STEP 2; SEE FIGURE 2:

Assemble shade frame:
FRONT [1 & 2], REAR [4] & TOP [3] BOWS

- A. Slip the tapered end of the front bow into the open end of the other front bow.
- B. Lay front bows and rear bow [4] on a flat surface. Align holes of the front bow with the holes of the rear bow. Hole should be in alignment.
- C. At the forward hole of this assembly bolt the top bow to the other parts.

STEP 3; SEE FIGURE 2:

Attach posts & braces to shade frame:
POSTS [4]
RH & LH BRACES [6 & 7]

- A. Fold top bow down onto front bow and turn assembly completely over.
- B. Bolt POST [5] onto rear bow using ONE 1/4"x5/8" bolt and 1/4" locknut. Repeat on the opposite side.
Only FINGER TIGHT at this time.
- C. Bolt RH BRACE [6] onto rear bow using ONE 1/4"x5/8" bolt and 1/4" locknut. Repeat for LH BRACE [7] on the left side.
Only FINGER TIGHT at this time.
- D. Bolt RH BRACE [6] to POST [5] using a 1/4"x 1 1/4" bolt with flat washer and a locknut. Repeat for LH BRACE [7], & POST [4] on the left side.
Snug all bolts **EXCEPT** TOP BOW [3].

STEP 4:


Install:
SUNSHADE ASSEMBLY

- A. Lightly lubricate square ends of posts with wax or bar soap.
- B. Holding assembly by round part of post. Slide square ends of post into square ends of RECEIVERS. Allow posts to go as far into receivers as possible. **DO NOT FORCE.**
- C. Completely tighten all bolts **EXCEPT** the top bow bolts.

STEP 5:

Install:
VINYL COVER

- A. Pull front pocket of vinyl cover over leading edge of front bow. Continue to pull cover toward rear of frame. Pull rear pockets over rear of frame and down.
- B. Pivot TOP BOW [3] up into place against vinyl cover until cover is snug in place front and rear.
- C. Tighten top bow bolts completely.



Visit us on the web to see our other products.

Cabs for Lawn Tractors, Garden Tractors, Compact Tractors, Snow Blowers, Utility Vehicles, & Fork Lifts, Sun Shades for tractors, mowers & Utility Vehicles, Storage Covers for Lawn and Garden equipment.



Original Tractor Cab Co., Inc. P.O. Box 97 6849 W. Front St. Arlington, IN 46104
Phone 765-663-2214 Fax 765-663-2101 Email Sales@originalcab.com

LIMITED WARRANTY

COVERED BY WARRANTY

ORIGINAL TRACTOR CAB CO., INC., (the "Company") warrants to the owner that each new product listed below is merchantable and free of defects in workmanship and material.

During the warranty period, the dealer from whom the product was bought, or the Company, will provide, free of charge, parts and the shipping costs of parts necessary to correct any defect in workmanship and material.

WARRANTY PERIOD

The company products listed below are warranted for the stated period from the date of the original purchase:

- | | |
|--|--------|
| 1. Cabs for tractors and snow removal equipment | 1 Year |
| 2. Company manufactured accessories for above cabs | 1 Year |
| 3. Sunshades for lawn and garden tractors | 1 Year |
| 4. Repair parts | 1 Year |

OWNER'S RESPONSIBILITIES

The owner of a new Company manufactured product must do the following to qualify for warranty service:

1. Retain the original invoice or other proof of purchase to avoid unnecessary difficulties in determining eligibility for warranty work.
2. Notify the dealer from whom the product was bought, or the company, as soon as possible after discovery of a possible defect, and provide proof of original purchase.

To notify the company write to: Original Tractor Cab Co., Inc., P.O. Box 97, Arlington, IN 46104.

3. the owner may, upon notification by the Company, be required to return the defective part, or parts, to the Company for inspection and warranty service.

NOT COVERED BY WARRANTY

The following are not covered by this warranty:

1. Transportation charges to and from servicing dealer or the Company;
2. New products that have been subject to misuse, negligence or accident, or have been altered or repaired in a manner not authorized by the company;
3. Windshield wipers, lights, or accessories that are warranted separately by their respective manufacturers, except Company agrees to make available to the owner whatever warranty benefits may be made available to the Company by the manufacturers.

All implied warranties, except to the extent prohibited by any applicable law, shall have no greater duration than the warranty period for the applicable product, some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you.

The Company's' liability arising out of warranties representation, instructions, or defects from any abuse, shall be limited exclusively to repair or replacing parts under the condition in the warranty, and in no event will Company be liable for incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.

This warranty gives you specific legal rights, and you may also have rights that vary from state to state.