



## **SUNSHADE #1695966 for: Snapper NXT Tractor**

PARTS LIST – ASSEMBLY INSTRUCTIONS

### **IMPORTANT**

**READ THIS MANUAL CAREFULLY AND KEEP FOR FUTURE REFERENCE**

### **CAUTION**

**REMOVE THE VINYL COVER OR THE COMPLETE SUNSHADE FOR TRANSPORT IN AN OPEN TRUCK OR TRAILER**

### **! WARNING**

**THIS SUNSHADE WILL NOT PROTECT OPERATOR FROM INJURIES CAUSED BY ROLLOVER, COLLISION, OR OTHER ACCIDENTS**


**CARTON CONTENTS: 30451**

PART #	KEY #	QTY.	DESCRIPTION
30461	1	1	FRONT BOW A (reduced end)
30460	2	1	FRONT BOW B
30067	3	1	REAR BOW
30065	4	1	TOP BOW
30456	5	2	REAR POST
30458	6	2	BRACE
30457	7	2	FRONT POST
9295B	8	1	VINYL COVER
30462		1	HARDWARE PACKAGE (Contents Listed Below)
786		10	1/4"-20 x 5/8" Cap Screw
2186		2	1/4"-20 x 1 1/4" Cap Screw
1514		2	1/4" Flat Washer
730		12	1/4"-20 Hex Lock Nut
60350		2	1/4" Wing Nut
6835		2	Hitch Pin Clip

**STEP 1; SEE FIGURE 1:**

Assemble Front Bow halves (1&2), Top Bow (3) and Rear Bow (4).

**A.** Connect the Front Bow Halves (1 & 2). Lay the Front Bow and Rear Bow (4) on a flat surface. Place the ends of the front bow on the outside of the ends of the rear bow. Insert four 1/4" x 5/8" bolts outwards through the ends of the bows. Place the ends of the Top Bow (3) over the two forward bolts of the assembly. Add four hex lock nuts and tighten the bolts keeping the top of the center bow leaning about 4" forward of vertical.




**STEP 2; SEE FIGURE 2:**

Install Rear Posts (5) and Braces (6).

**A.** Place the assembled bows upside down and use two 1/4" x 5/8" bolts and hex lock nuts to attach the Rear Posts to the upper framework as shown. Do not tighten the bolts at this time.

**B.** Use two 1/4" x 5/8" bolts and hex lock nuts to attach the Braces to the Rear Bow as shown. Use 1/4" x 1 1/4" bolts with flat washers and hex lock nuts to attach the other end of the Braces to the Rear Posts as shown. Do not tighten the bolts at this time.



**STEP 3; SEE FIGURE 3:**

Install the assembled frame and the Front Posts (7).

**A.** Insert the Rear Posts into the holes in the handles on each side of the fender. Insert Hitch Pin Clips into the small holes at the bottom of the posts.

**B.** Insert the Front Posts into the holes in the dash. Use two 1/4" x 5/8" bolts and hex lock nuts to attach the Front Posts to the Front Bow halves as shown.

**C.** Place the wing nuts on the threaded ends at the bottom of the front posts and tighten. Tighten all other bolts previously installed.



**STEP 4; SEE FIGURE 4:**

Install Vinyl Cover (8).

**A.** Slip the front of the Vinyl Cover over the front bow. Start on one corner and pull the rear of the cover down over the rear bow. Push the center bow up to tighten the cover if needed.



**CAUTION:** Care should be taken when you use your tractor with the sunshade installed. The Sunshade adds height to the machine. Low tree limbs and other overhead structures that did not interfere with the operation of the machine before, may now be obstacles.

Periodically check all bolts to see that they are tight. If bolts become loose, failure of parts may occur.

## For Replacement Parts and Accessories Contact:

**Original Tractor Cab Co., Inc.**  
P.O. Box 97 6849 W. Front St.  
Arlington, IN 46104  
Phone 765-663-2214  
Fax 765-663-2101  
Email [Sales@originalcab.com](mailto:Sales@originalcab.com)

Visit us on the web to see our other products.

[www.originalcab.com](http://www.originalcab.com)

**Cabs for Lawn Tractors, Garden Tractors, Compact Tractors, Snow Blowers, Utility Vehicles**

**Sunshades for Tractors, Mowers, & Utility Vehicles**

**Storage Covers for Lawn and Garden equipment. .**

---

## LIMITED WARRANTY

### COVERED BY WARRANTY

ORIGINAL TRACTOR CAB CO., INC., (the "Company") warrants to the owner that each new product listed below is merchantable and free of defects in workmanship and material.

During the warranty period, the dealer from whom the product was bought, or the Company, will provide, free of charge, parts and the shipping costs of parts necessary to correct any defect in workmanship and material.

### WARRANTY PERIOD

The company products listed below are warranted for the stated period from the date of the original purchase:

- |  |        |
|--|--------|
| 1. Cabs for tractors and snow removal equipment    | 1 Year |
| 2. Company manufactured accessories for above cabs | 1 Year |
| 3. Sunshades for lawn and garden tractors          | 1 Year |
| 4. Repair parts                                    | 1 Year |

### OWNER'S RESPONSIBILITIES

The owner of a new Company manufactured product must do the following to qualify for warranty service:

1. Retain the original invoice or other proof of purchase to avoid unnecessary difficulties in determining eligibility for warranty work.
2. Notify the dealer from whom the product was bought, or the company, as soon as possible after discovery of a possible defect, and provide proof of original purchase.
- To notify the company write to: Original Tractor Cab Co., Inc., P.O. Box 97, Arlington, IN 46104.
3. the owner may, upon notification by the Company, be required to return the defective part, or parts, to the Company for inspection and warranty service.

### NOT COVERED BY WARRANTY

The following are not covered by this warranty:

1. Transportation charges to and from servicing dealer or the Company;
2. New products that have been subject to misuse, negligence or accident, or have been altered or repaired in a manner not authorized by the company;
3. Windshield wipers, lights, or accessories that are warranted separately by their respective manufacturers, except Company agrees to make available to the owner whatever warranty benefits may be made available to the Company by the manufacturers.

**All implied warranties, except to the extent prohibited by any applicable law, shall have no greater duration than the warranty period for the applicable product, some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you. The Company's' liability arising out of warranties representation, instructions, or defects from any abuse, shall be limited exclusively to repair or replacing parts under the condition in the warranty, and in no event will Company be liable for incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.**

**This warranty gives you specific legal rights, and you may also have rights that vary from state to state.**