



**SUNSHADE #30472 For:  
Ariens  
Zoom 34, 42 & 50  
&  
Gravely  
ZT 34, 42 & 50**

**PARTS LIST – ASSEMBLY INSTRUCTIONS**

**IMPORTANT**

**READ THIS MANUAL CAREFULLY AND KEEP FOR FUTURE REFERENCE**

**CAUTION**

**REMOVE THE SUNSHADE FOR TRANSPORT IN AN OPEN TRUCK OR TRAILER**

**! WARNING!**

**THIS SUNSHADE WILL NOT PROTECT OPERATOR FROM INJURIES CAUSED BY  
ROLLOVER, COLLISION, OR OTHER ACCIDENTS**

## Carton Contents: #30472 Sunshade

PART #	KEY #	QTY.	DESCRIPTION
30473	1	1	RECEIVER, RH
30474	2	1	RECEIVER, LH
30070	3	1	FRONT BOW (reduced end)
30071	4	1	FRONT BOW
30065	5	1	TOP BOW
30067	6	1	REAR BOW
30419	7	2	POST
30420	8	1	BRACE, RH
30421	9	1	BRACE, LH
30475	10	2	U-CLAMP
9295W		1	VINYL COVER
30228		1	REAR SCREEN PANEL
30476		1	HARDWARE PACKAGE (Contents Listed Below)
786		8	1/4"-20 x 5/8" Cap Screw
926		2	1/4"-20 x 1" Cap Screw
2186		2	1/4"-20 x 1 1/4" Cap Screw
60384		2	1/4"-20 x 3 1/2" Cap Screw
1514		2	1/4" Flat Washer
730		14	1/4"-20 Two Way Lock Nut
906		2	3/8"-16 x 1" Cap Screw
60246		2	3/16" Thick Fender Washer
790		2	3/8"-16 Two Way Lock Nut
60385		2	1" x 1" x 1 1/4" Spacer

### STEP 1; SEE FIGURE 1:

Install Receiver Right (1)

- A.** Place the angle iron part of the receiver against the tab welded to the frame of the mower at Reference A.
- B.** Insert a 3/8" x 1" bolt in through the holes and add a Thick Fender Washer and a 3/8" lock nut. Do not tighten at this time.
- C.** Place a U Clamp open end up over the mower frame. Insert a 1/4" x 3 1/2" bolt in through the rear hole in the receiver and the holes in the clamp. Place a 1 1/4" spacer upright between the frame and the inner leg of the U clamp (see inset).
- B.** Repeat the above steps on the left side with the left Receiver.

**NOTE:** The right rear wheel has been removed for clarity. It is not necessary to remove the wheel for installation

Spacer




Figure 1

### STEP 3; SEE FIGURE 3:

#### Assemble Frame


**A.** Connect the Front Bow Halves (3 & 4). Lay the Front Bow and Rear Bow (6) on a flat surface. Place the ends of the front bow on the outside of the ends of the rear bow. Insert four bolts outwards through the ends of the bows. Place the ends of the Top Bow (5) over the two forward bolts of the assembly. Add two locknuts and tighten keeping the top of the center bow leaning about 4" forward of vertical.

**B.** Refer to the illustration to attach the Posts (7) and right and left Braces (8& 9) to the assembled frame. Use 1/4" x 1 1/4" bolts with 1/4" flat washers placed under the nuts at Reference B. Do not tighten the bolts at this time. Use 1/4" x 1" bolts and nuts at Reference C. Tighten these bolts.

**C.** Insert the square ends of the posts into the receivers on the mower. **IMPORTANT!** Tighten the front bolts and then the rear clamp bolts of the receivers. Tighten all other bolts. Keep the framework level while tightening the upper bolts.

**D.** Close the Velcro flaps of the Rear Screen around the Rear Bow and fasten to the posts with the Velcro tabs.

**E.** Slip the front of the Vinyl Cover over the front bow. Pull the rear of the cover down over the rear bow. Push the center bow up to tighten the cover if needed.



**NOTE:** Apply some wax to the square ends of the posts to ease insertion and removal of the Sunshade from the receivers.

**IMPORTANT:** Remove the sunshade before transport in an open truck or trailer.

Figure 3

## For Parts and Accessories Contact:

### Original Tractor Cab Co., Inc.

P.O. Box 97 6849 W. Front St.

Arlington, IN 46104

Phone 765-663-2214

Fax 765-663-2101

Email [Sales@originalcab.com](mailto:Sales@originalcab.com)

Visit us on the web to see our other products.

[www.originalcab.com](http://www.originalcab.com)

Cabs for Lawn Tractors, Garden Tractors, Compact Tractors, Snow Blowers, Utility Vehicles

Sunshades for Tractors, Mowers, & Utility Vehicles

Storage Covers for Lawn and Garden equipment. .

---

## LIMITED WARRANTY

### COVERED BY WARRANTY

ORIGINAL TRACTOR CAB CO., INC., (the "Company") warrants to the owner that each new product listed below is merchantable and free of defects in workmanship and material.

During the warranty period, the dealer from whom the product was bought, or the Company, will provide, free of charge, parts and the shipping costs of parts necessary to correct any defect in workmanship and material.

### WARRANTY PERIOD

The company products listed below are warranted for the stated period from the date of the original purchase:

- |  |        |
|--|--------|
| 1. Cabs for tractors and snow removal equipment    | 1 Year |
| 2. Company manufactured accessories for above cabs | 1 Year |
| 3. Sunshades for lawn and garden tractors          | 1 Year |
| 4. Repair parts                                    | 1 Year |

### OWNER'S RESPONSIBILITIES

The owner of a new Company manufactured product must do the following to qualify for warranty service:

1. Retain the original invoice or other proof of purchase to avoid unnecessary difficulties in determining eligibility for warranty work.
2. Notify the dealer from whom the product was bought, or the company, as soon as possible after discovery of a possible defect, and provide proof of original purchase.  
To notify the company write to: Original Tractor Cab Co., Inc., P.O. Box 97, Arlington, IN 46104.
3. the owner may, upon notification by the Company, be required to return the defective part, or parts, to the Company for inspection and warranty service.

### NOT COVERED BY WARRANTY

The following are not covered by this warranty:

1. Transportation charges to and from servicing dealer or the Company;
2. New products that have been subject to misuse, negligence or accident, or have been altered or repaired in a manner not authorized by the company;
3. Windshield wipers, lights, or accessories that are warranted separately by their respective manufacturers, except Company agrees to make available to the owner whatever warranty benefits may be made available to the Company by the manufacturers.

**All implied warranties, except to the extent prohibited by any applicable law, shall have no greater duration than the warranty period for the applicable product, some states do not allow limitation on how long an implied warranty lasts, so the above limitation may not apply to you. The Company's liability arising out of warranties representation, instructions, or defects from any abuse, shall be limited exclusively to repair or replacing parts under the condition in the warranty, and in no event will Company be liable for incidental or consequential damages. Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above limitation or exclusion may not apply to you.**

This warranty gives you specific legal rights, and you may also have rights that vary from state to state.